

Timjan thymoltyp - Timjan thymol zygis - Timjan thymoltyp eko

AVSNITT 1: Namnet på ämnet/blandningen och bolaget/företaget

1.1 Produktbeteckning

Handelsnamn

Timjan thymoltyp - Timjan thymol zygis - Timjan thymoltyp eko

Produkt nr.

1106 - 1125 - 1130

1.2 Relevanta identifierade användningar av ämnet eller blandningen och användningar som det avråds från

Relevanta identifierade användningar av ämnet eller blandningen

Parfymämne och aromaämne

Användningar som det avråds från

Inga särskilda

1.3 Närmare upplysningar om den som tillhandahåller säkerhetsdatablad

Företagsuppgifter

Naturkosmetikkompaniet Naturkosmos AB

Ullevi Enestorp 3

59491 Gamleby

Sweden

+46(0)493-53999

Kontaktperson

Finn Lendelund

E-post

info@Naturkosmetikkompaniet.se

Omarbetning

2022-03-29

SDB Version

1.0

1.4 Telefonnummer för nödsituationer

Akut: Ring 112, begär giftinformation. Öppet dygnet runt.

Mindre akut: Ring 010-456 6700. Öppet dygnet runt.

Se avsnitt 4 om åtgärder vid första hjälpen.

AVSNITT 2: Farliga egenskaper

2.1 Klassificering av ämnet eller blandningen

Flam. Liq. 3; H226, Brandfarlig vätska och ånga.

Acute Tox. 4; H302, Skadligt vid förtäring.

Asp. Tox. 1; H304, Kan vara dödligt vid förtäring om det kommer ner i luftvägarna.

Skin Corr. 1B; H314, Orsakar allvarliga frätskador på hud och ögon.

Skin Sens. 1; H317, Kan orsaka allergisk hudreaktion.

STOT SE 3; H335, Kan orsaka irritation i luftvägarna.

Aquatic Chronic 2; H411, Giftigt för vattenlevande organismer med långtidseffekter.

2.2 Märkningsuppgifter

Faropiktogram



Signalord

Fara

Faroangivelser

Brandfarlig vätska och ånga. (H226)
Skadligt vid förtäring. (H302)
Kan vara dödligt vid förtäring om det kommer ner i luftvägarna. (H304)
Orsakar allvarliga frätskador på hud och ögon. (H314)
Kan orsaka allergisk hudreaktion. (H317)
Kan orsaka irritation i luftvägarna. (H335)
Giftigt för vattenlevande organismer med långtidseffekter. (H411)

Skyddsangivelser

Allmänt

Förvaras oåtkomligt för barn. (P102)
Ha förpackningen eller etiketten till hands om du måste söka läkarvård. (P101)

Förebyggande

Använd ögonskydd/skyddshandskar/skyddskläder. (P280)

Åtgärder

VID KONTAKT MED ÖGONEN: Skölj försiktigt med vatten i flera minuter. Ta ur eventuella kontaktlinser om det går lätt. Fortsätt att skölja. (P305+P351+P338)
VID HUDKONTAKT (även håret): Ta omedelbart av alla nedstänkta kläder. Skölj huden med vatten . (P303+P361+P353)
VID FÖRTÄRING: Skölj munnen. Framkalla INTE kräkning. (P301+P330+P331)

Förvaring

Avfall

Innehållet/behållaren lämnas till en godkänd avfallsanläggning. (P501)

Innehåller

tymol 2-isopropyl-5-metylfenol

Para-Cymene

gamma terpinene

Carvacrol

Linalool

beta-Caryophyllene

Terpinenes

Alpha-pinene

Limonen

2.3 Andra faror

Annan märkning

Ej tillämpligt

Annat

Denna blandning/produkt innehåller inga ämnen som anses uppfylla kriterierna för klassificering som PBT- och/eller vPvB-ämnen.

AVSNITT 3: Sammansättning/information om beståndsdelar

3.2 Blandningar

Produkt/Ämne	Identifierare	% w/w	Klassificering	Noter
tymol 2-isopropyl-5-metylfenol	CAS-nr.: 89-83-8 EG-nr.: 201-944-8	40-60%	Acute Tox. 4, H302 Skin Corr. 1B, H314	
	REACH: Indexnr.: 604-032-00-1			
Para-Cymene	CAS-nr.: 99-87-6	25-40%	Flam. Liq. 3, H226 Asp. Tox. 1, H304	

	EG-nr.: 202-796-7 REACH: Indexnr.:		Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
gamma terpinene	CAS-nr.: 99-85-4 EG-nr.: 202-794-6 REACH: Indexnr.:	10-15%	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Carvacrol	CAS-nr.: 499-75-2 EG-nr.: 207-889-6 REACH: Indexnr.:	10-15%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Linalool	CAS-nr.: 78-70-6 EG-nr.: 201-134-4 REACH: Indexnr.: 603-235-00-2	5-10%	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
-,Terpinen-4-ol	CAS-nr.: 562-74-3 EG-nr.: 209-235-5 REACH: Indexnr.:	5-10%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Camphor	CAS-nr.: 76-22-2 EG-nr.: 200-945-0 REACH: Indexnr.:	5-10%	Flam. Sol. 2, H228 Acute Tox. 4, H332 STOT SE 2, H371
Borneol	CAS-nr.: 507-70-0 EG-nr.: 208-080-0 REACH: Indexnr.:	5-10%	Flam. Sol. 2, H228
Myrcene	CAS-nr.: 123-35-3 EG-nr.: 204-622-5 REACH: Indexnr.:	3-5%	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Camphene	CAS-nr.: 79-92-5	3-5%	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Chronic 1, H410 (M=1)

		EG-nr.: 201-234-8	
	REACH:		
	Indexnr.:		
beta-Caryophyllene	CAS-nr.: 87-44-5 EG-nr.: 201-746-1	3-5%	Asp. Tox. 1, H304 Skin Sens. 1B, H317
Terpinenes	CAS-nr.: 99-86-5 EG-nr.: 202-795-1	3-5%	Flam. Liq. 3, H226 Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
alpha-phellandrene	CAS-nr.: 99-83-2 EG-nr.: 202-792-5	3-5%	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Alpha-pinene	CAS-nr.: 80-56-8 EG-nr.: 201-291-9	3-5%	Flam. Liq. 3, H226 Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
Limonen	CAS-nr.: 5989-27-5 EG-nr.: 227-813-5	1-3%	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
	REACH:		
	Indexnr.:		

Fullständig ordalydelse av H-fraserna finns i avsnitt 16. Arbetshygieniska gränsvärden finns i avsnitt 8 - om de är tillgängliga.

Annan information

Inga särskilda
 Thymus vulgaris/Zygis
 Inci: Thymus vulgaris/Zygis flower oil
 Cas no: 8007-46-3
 EC no: 285-397-0
 100% eterisk olja

AVSNITT 4: Åtgärder vid första hjälpen

4.1 Beskrivning av åtgärder vid första hjälpen

Allmänt

Vid olycka: Kontakta läkare eller akutmottagning - ta med etiketten eller detta säkerhetsdatablad.

Är i enlighet med förfatningen (EG) nr 1907/2006 (REACH), Bilaga II, ändrad genom förfatningen (EU) nr 2015/830

Vid bestående symptom eller om det råder tveksamheter om den påverkades tillstånd skall läkarhjälp sökas. Ge aldrig en medvetslös person vatten eller liknande.

Inandning

I fall av andningssvårigheter eller irritation i andningsvägarna: Flytta den skadade personen till frisk luft direkt och håll personen under uppsyn.

Hudkontakt

Avlägsna snabbt förorenade kläder och skor. Hud som har varit i kontakt med materialet tvättas grundligt med tvål och vatten. Hudrengöringsmedel kan användas. Använd ej organiska lösningsmedel.

Vid hudirritation: Sök läkarhjälp.

Kontakt med ögonen

I fall av ögonirritation: Avlägsna eventuella kontaktlinser. Skölj genast ögonen med rikliga mängder vatten (20-30 °C) till dess irritationen upphör och i minst 15 minuter. Se till att skölja under både övre och nedre ögonlock.

Uppsök genast läkare. Fortsätt att skölja under transport.

Förtäring

VID FÖRTÄRING: Kontakta genast GIFTINFORMATIONSCENTRALEN / läkare.

Framkalla inte kräkning! Om kräkning uppstår hålls huvudet lågt så att maginnehållet inte kommer ner i lungorna. Tillkalla läkare eller ambulans. Symptom på kemisk lunginflammation kan tillkomma efter flera timmar.

Personer som har svalt produkten ska därför stå under medicinsk uppsikt minst 48 timmar.

Brännskada

Spola med mycket vatten till smärtan upphör och fortsätt i ytterligare 30 min.

4.2 De viktigaste symptomen och effekterna, både akuta och födröjda

Produkten innehåller ämnen som kan ge kemisk lunginflammation vid aspiration. Symtom på kemisk lunginflammation kan visa sig först efter flera timmar.

Vävnadsskadliga effekter: Produkten innehåller frätande ämnen. Om ånga eller luftburna partiklar inandas kan detta ge skador på lungor och förorsaka irritation och sveda i luftvägarna samt hosta. Frätande ämnen orsakar oåterkalleliga skador på ögonen. Fräter på huden.

Överkänslighetsreaktioner: Produkten innehåller ämnen som kan utlösa en allergisk reaktion vid hudkontakt. Allergireaktionen inträffar typiskt 12-72 timmar efter exponering för allergenet och sker genom att allergenet tränger in i huden och reagerar med proteiner i det yttersta hudlagret. Kroppens immunsystem uppfattar det kemiskt ändrade proteinet som främmande kropp och försöker bryta ned det.

4.3 Angivande av omedelbar medicinsk behandling och särskild behandling som eventuellt krävs

Vid exponering eller misstanke om exponering:

Sök omedelbart läkarhjälp.

Information till läkare

Medtag detta säkerhetsdatablad eller etiketten från produkten.

AVSNITT 5: Brandbekämpningsåtgärder

5.1 Släckmedel

Lämpliga släckmedel: alkoholbeständigt skum, kolsyra, pulver, vattenånga.

Olämpliga släckmedel: Vattenstråle bör ej användas eftersom det kan sprida branden.

5.2 Särskilda faror som ämnet eller blandningen kan medföra

Vid brand utvecklas tät rök. Att utsättas för nedbrytningsprodukter kan utgöra hälsofar. Slutna behållare som utsätts för eld avkyls med vatten. Låt ej vatten från brandsläckning rinna ut i kloak och vattendrag.

Om produkten utsätts för höga temperaturen, t.ex. i händelse av brand, kan farliga nedbrytningsprodukter bildas.

Dessa är:

Koloxider (CO / CO₂).

5.3 Råd till brandbekämpningspersonal

Använd skyddsutrustning inklusive andningsapparat. Om exponering skett, kontakta Giftinformationscentralen (tel 112, 24/7) för rådgivning.

AVSNITT 6: Åtgärder vid oavsiktliga utsläpp

6.1 Personliga skyddsåtgärder, skyddsutrustning och åtgärder vid nödsituationer

Ej antänd lager avkyls med vattenånga. Avlägsna om möjligt brandfarliga material. Sörj för god ventilation.

Undvik direktkontakt med spill.

Undvik att andas in ångor från spill.

6.2 Miljöskyddsåtgärder

Undvik utsläpp i sjöar, åar, kloaker etc. Kontakta de lokala miljömyndigheterna vid utsläpp i omgivningarna.

6.3 Metoder och material för inneslutning och sanering

Använd sand, kiselgur eller liknande till uppsamling av vätskor. Kontakta alltid det lokala brandförsvaret vid stora utsläpp.

Rengöring utförs så långt som möjligt med rengöringsmedel. Lösningsmedel bör undvikas.

6.4 Härvisning till andra avsnitt

Se avsnitt 13 om avfallshantering.

Se avsnitt 8 om personligt skydd.

AVSNITT 7: Hantering och lagring

7.1 Skyddsåtgärder för säker hantering

Jorda och potentialförbind behållare och mottagarutrustning.

Använd explosionssäker [elektrisk / belysnings- / ventilations-] utrustning.

Använd verktyg som inte ger upphov till gnistor.

Vidta åtgärder mot statisk elektricitet.

Anlägg ev. fall/bassäng för spilluppsamling, för att förhindra utsläpp i omgivningen.

Undvik direktkontakt med produkten.

Rökning, förtäring av mat och intag av dryck är ej tillåtet i arbetslokalerna.

Se avsnitt 8 om personligt skydd.

7.2 Förhållanden för säker lagring, inklusive eventuell oförenlighet

Öppnad behållare skall återförlutas väl och förvaras i upprätt läge för att förhindra läckage.

Vidta åtgärder mot statisk elektricitet.

Förvaras svalt i ett väl ventilerat utrymme, avskilt från möjliga antändningskällor.

Kompatibla förpackningar

Förvaras alltid i behållare av samma material som originalbehållaren.

Lagringstemperatur

Inga särskilda krav.

Oförenliga material

Starka syror, starka baser, starka oxidationsmedel och starka reduktionsmedel.

7.3 Specifik slutanvändning

Denna produkt bör endast användas för de användningar som beskrivs i avsnitt 1.2.

AVSNITT 8: Begränsning av exponeringen/personligt skydd

8.1 Kontrollparametrar

Para-Cymene

Korttidsgränsvärde (15 minuter) (ppm): 35

Korttidsgränsvärde (15 minuter) (mg/m³): 190

Nivågränsvärde (8 timmar) (ppm): 25

Nivågränsvärde (8 timmar) (mg/m³): 140

Anmärkningar:

V = Vägledande korttidsgränsvärde

Alpha-pinene

Korttidsgränsvärde (15 minuter) (ppm): 50

Korttidsgränsvärde (15 minuter) (mg/m³): 300

Nivågränsvärde (8 timmar) (ppm): 25

Nivågränsvärde (8 timmar) (mg/m³): 150

Anmärkningar:

V = Vägledande korttidsgränsvärde

Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) och senare ändring AFS 2020:6.

DNEL

Ingen data tillgänglig

PNEC

Ingen data tillgänglig

8.2 Begränsning av exponeringen

Efterlevnad av hygieniska gränsvärden bör kontrolleras regelbundet.

Generellt

Rökning, förtäring av mat och intag av dryck är ej tillåtet i arbetslokalerna.

Exponeringsscenarier

Det finns inga implementerade exponeringsscenarier för denna produkt.

Exponeringsgräns

Yrkessmässiga användare omfattas av arbetsmiljölagstiftningens regler om maxkoncentrationer vid exponering.

Se de arbetshygieniska gränsvärdena ovan.

Tekniska åtgärder

Ångbildning måste hållas på ett minimum och under nuvarande gränsvärden (se ovan). Installation av ett lokalt punktutsug rekommenderas om normalt luftflöde i arbetsrummet inte är tillräckligt. Se till att ögonsköljning och - duschar är tydligt markerade.

Hygieniska åtgärder

Vid varje paus vid användning av produkten och vid arbetets slut skall de exponerade områdena på kroppen tvättas. Tvätta alltid händer, underarmar och ansikte.

Begränsning av miljöexponering

Följ de riskhanteringsåtgärder som ger adekvat kontroll över miljöns exponering för ämnet för de exponeringsscenarier som anges i bilagan till säkerhetsdatabladet (om en sådan bilaga finns).

Individuella skyddsåtgärder

Allmänt

Använd endast CE-märkt skyddsutrustning.

Andningsskydd

Typ	Klass	Färg	Standarder
Inga särskilda krav	-	-	-

Hudskydd

Rekommenderad	Typ/Kategori	Standarder
Särskilda arbetskläder skall användas	-	-



Handskydd

Handskmaterial	Handsktjocklek (mm)	Genombrottstid (min.)	Standarder
Nitril	-	-	EN374-2



Ögonskydd

Typ	Standarder
Använd skyddsglasögon med sidosköld.	EN166



AVSNITT 9: Fysikaliska och kemiska egenskaper

9.1 Information om grundläggande fysikaliska och kemiska egenskaper

Form

Vätska

Färg

Gulaktig

Lukt

Aromatisk

Lukttörskel (ppm)

Provning är inte relevant eller möjlig för denna typ av produkt.

pH

Provning är inte relevant eller möjlig för denna typ av produkt.

Densitet (g/cm³)

0,915-0,937

Viskositet

Provning är inte relevant eller möjlig för denna typ av produkt.

Aggregationstillstånd

Smältpunkt (°C)

Provning är inte relevant eller möjlig för denna typ av produkt.

Kokpunkt (°C)

Provning är inte relevant eller möjlig för denna typ av produkt.

Ångtryck

Provning är inte relevant eller möjlig för denna typ av produkt.

Ångdensitet

Provning är inte relevant eller möjlig för denna typ av produkt.

Sönderfallstemperatur (°C)

Provning är inte relevant eller möjlig för denna typ av produkt.

Avdunstningshastighet (n-butylacetat = 100)

Data om brand- och explosionsrisker

Flampunkt (°C)

60

Tändpunkt (°C)

Provning är inte relevant eller möjlig för denna typ av produkt.

Självantändningstemperatur (°C)

Provning är inte relevant eller möjlig för denna typ av produkt.

Explosionsgränser (% v/v)

Provning är inte relevant eller möjlig för denna typ av produkt.

Explosiva egenskaper

Provning är inte relevant eller möjlig för denna typ av produkt.

Oxiderande egenskaper

Provning är inte relevant eller möjlig för denna typ av produkt.

Lösighet

Lösighet i vatten

Olöslig

n-oktanol/vatten koefficient

Provning är inte relevant eller möjlig för denna typ av produkt.

Lösighet i fett (g/L)

Provning är inte relevant eller möjlig för denna typ av produkt.

9.2 Annan information

AVSNITT 10: Stabilitet och reaktivitet

10.1 Reaktivitet

Ingen data tillgänglig

10.2 Kemisk stabilitet

Produkten är stabil under de förhållanden som anges i avsnitt 7 (Hantering och lagring)

10.3 Risken för farliga reaktioner

Inga särskilda

10.4 Förhållanden som ska undvikas

Undvik statisk elektricitet.

10.5 Oförenliga material

Starka syror, starka baser, stora oxidationsmedel och starka reduktionsmedel.

10.6 Farliga sönderdelningsprodukter

Produkten sönderdelas ej när den används i enlighet med avsnitt 1.

AVSNITT 11: Toxikologisk information

11.1 Information om de toxikologiska effekterna

Akut toxicitet

Skadligt vid förtäring.

Frätande/irriterande på huden

Orsakar allvarliga frätskador på hud och ögon.

Allvarlig ögonskada/ögonirritation

Orsakar allvarliga ögonskador.

Luftvägssensibilisering

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Hudsensibilisering

Kan orsaka allergisk hudreaktion.

Mutagenitet i könsceller

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Cancerogenitet

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Reproduktionstoxicitet

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Specifik organtoxicitet – enstaka exponering

Kan orsaka irritation i luftvägarna.

Specifik organtoxicitet – uppreatad exponering

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Fara vid aspiration

Kan vara dödligt vid förtäring om det kommer ner i luftvägarna.

Långsiktiga effekter

Vävnadsskadliga effekter: Produkten innehåller frätande ämnen. Om ånga eller luftburna partiklar inandas kan detta ge skador på lungor och förorsaka irritation och sveda i luftvägarna samt hosta. Frätande ämnen orsakar oåterkalleliga skador på ögonen. Fräter på huden.

Annan information

Myrcene: Substansen har klassificerats i grupp 2B av IARC.

Limonen: Substansen har klassificerats i grupp 3 av IARC.

AVSNITT 12: Ekologisk information

12.1 Toxicitet

Ingen data tillgänglig

12.2 Persistens och nedbrytbarhet

Ingen data tillgänglig

12.3 Bioackumuleringsförmåga

Ingen data tillgänglig

12.4 Rörlighet i jord

Ingen data tillgänglig

Är i enlighet med förfatningen (EG) nr 1907/2006 (REACH), Bilaga II, ändrad genom förfatningen (EU) nr 2015/830

12.5 Resultat av PBT- och vPvB-bedömningen

Denna blandning/produkt innehåller inga ämnen som anses uppfylla kriterierna för klassificering som PBT- och/eller vPvB-ämnena.

12.6 Andra skadliga effekter

Produkten innehåller ekotoxiska ämnen, som kan ha skadliga verkningar på vattenlevande organismer.

Produkten innehåller ämnen som kan ge oönskade långtidsverkningar i vattenmiljön.

AVSNITT 13: Avfallshantering

13.1 Avfallsbehandlingsmetoder

Denna produkt omfattas av bestämmelser om farligt avfall.

HP 3 - Brandfarligt

HP 5 - Specifik toxicitet för målorgan (STOT)/Aspirationstoxicitet

HP 6 - Akut toxicitet

HP 8 - Frätande

HP 14 - Ekotoxiskt

Innehållet/behållaren lämnas till en godkänd avfallsanläggning.

Förordning (EU) nr 1357/2014 av den 18 december 2014 om avfall.

EWC-kod

Ej tillämpligt

Annan märkning

Ej tillämpligt

Förorenad förpackning

Avfallskategorin är vägledande och beror på vilket sätt avfallet har blivit till. Förpackningar med restinnehåll av produkten skall kasseras på samma sätt som produkten.

AVSNITT 14: Transportinformation

	14.1 UN	14.2 Officiell transportbenämning	14.3 Faroklass för transport	14.4 PG*	14.5 Env**	Annan information
ADR	2924	BRANDFARLIG VÄTSKA, FRÄTANDE, N.O.S.	Klass: 3 Etiketter: 3+8 Klassificeringskod: FC 	III	Ja	Begränsade och reducerade mängder: 5 L Transportkategori (Tunnelrestriktionskod): 3 (D/E) Se mer information nedan.
IMDG	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Class: 3 Labels: 3+8 Classification code: FC 	III	Ja	Limited and excepted quantities (7a): 5 L EmS: F-E S-C Se mer information nedan.
IATA	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Class: 3 Labels: 3+8 Classification code: FC	III	Ja	Se mer information nedan.

* Förpackningsgrupp

** Miljöfaror

Annat

IMDG / See the Dangerous Goods List, section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

Produkten omfattas av konventionerna gällande farligt gods.

14.6 Särskilda skyddsåtgärder

Ej tillämpligt

14.7 Bulktransport enligt bilaga II till Marpol och IBC-koden

Ingen data tillgänglig

AVSNITT 15: Gällande föreskrifter

15.1 Föreskrifter/lagstiftning om ämnet eller blandningen när det gäller säkerhet, hälsa och miljö

Användningsrestriktioner

Produkten får ej användas yrkesmässigt av unga under 18 år. Förbudet gäller inte om arbetsuppgiften:

- utförs av ungdomar som har fullgjort gymnasial utbildning eller motsvarande utbildning för uppgiften, eller
- ingår i undervisning som är belägen i en skollokal eller annan plats som är särskilt anordnad för undervisning, eller
- ingår i praktikledda praktikplatser för ungdomar.

Gravida och ammande skall ej utsättas för påverkan från produkten. Risken samt möjligheterna till tekniska försiktighetsåtgärder eller anpassning av arbetsplatsen för att undvika sådan påverkan skall därför övervägas.

Krav på särskild utbildning

Inga särskilda krav.

SEVESO - Farokategorier / Farliga ämnen

P5c - BRANDFARLIGA VÄTSKOR, Tröskelvärdens (Kolumn 2): 5.000 ton / (Kolumn 3): 50.000 ton

E2 - MILJÖFARLIGHET, Tröskelvärdens (Kolumn 2): 200 ton / (Kolumn 3): 500 ton

Annat

Känbar varningsmärkning.

Skall levereras i emballage med barnsäker förslutning om produkten säljs i butik.

Källor

Arbetsmiljöverkets föreskrifter om minderårigas arbetsmiljö och allmänna råd om tillämpningen av föreskrifterna (AFS 2012:3)

Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2007:5) om gravida och ammande arbetstagare med senare ändringar, senast AFS 2018:7.

MSBFS 2015:8 föreskrifter om åtgärder för att förebygga och begränsa följderna av allvarliga kemikalieolyckor.

Avfallsförordning (2020:614)

Europaparlamentets och rådets förordning (EG) nr 1272/2008 av den 16 december 2008 om klassificering, märkning och förpackning av ämnen och blandningar (CLP).

Europaparlamentets och rådets förordning (EG) nr 1907/2006 av den 18. december 2006 om registrering, utvärdering, godkännande och begränsning av kemikalier (REACH).

15.2 Kemikaliesäkerhetsbedömning

Nej

AVSNITT 16: Annan information

Ordalydelse för H-fraser som anges i avsnitt 3

- ' H226, Brandfarlig vätska och ånga.
- H228, Brandfarligt fast ämne.
- H302, Skadligt vid förtäring.
- H304, Kan vara dödligt vid förtäring om det kommer ner i luftvägarna.
- H314, Orsakar allvarliga frätskador på hud och ögon.
- H315, Irriterar huden.
- H317, Kan orsaka allergisk hudreaktion.
- H318, Orsakar allvarliga ögonskador.
- H319, Orsakar allvarlig ögonirritation.
- H332, Skadligt vid inandning.
- H335, Kan orsaka irritation i luftvägarna.
- H371, Kan orsaka organskador.

- H400, Mycket giftigt för vattenlevande organismer.
- H410, Mycket giftigt för vattenlevande organismer med långtidseffekter.
- H411, Giftigt för vattenlevande organismer med långtidseffekter.

Förkortningar och akronymer

- ADR = Europeisk överenskommelse om transport av farligt gods på väg
- ATE = Uppskattad akut toxicitet
- BCF = Biokoncentrationsfaktor
- CAS = Registeringsnummer som tilldelats av Chemical Abstract Services
- CE = Conformité Européenne
- CLP = Europaparlamentets och rådets förordning (EG) 1272/2009 (CLP) om klassificering, märkning och förpackning av ämnen och blandningar
- CSA = Kemikaliesäkerhetsbedömnning
- CSR = Kemikaliesäkerhetsrapport
- DNEL = Härtledd noll-effekt nivå (Derived No Effect Level)
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exponeringsscenario
- EUH-faroangivelser = kompletterande faroangivelser enligt CLP
- EWC = Europeiska avfallskatalogen
- GHS = Globalt harmoniserat system för klassificering och märkning av kemiska ämnen och beredningar
- IATA = International Air Transport Association
- IMDG = International Maritime Dangerous Goods
- LogPow = logaritmen av fördelningskoefficienten oktanol/vatten
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- NGV = Tidsvägt medelvärde
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistenta, bioackumulerande och toxiska
- PNEC = Koncentration som sannolikt inte förorsakar negativ effekt
- REACH = Registrering, utvärdering, godkännande och begränsning av kemikalier (Förordning (EG) nr 1907/2006)
- RRN = REACH registreringsnummer
- SCL = Specifik koncentrationsbegränsning.
- STOT-RE = Toxicitet för specifikt målorgan - upprepad exponering
- STOT-SE = Toxicitet för specifikt målorgan - enstaka exponering
- SVHC = Särskilt farliga ämnen
- UN = Förenta Nationerna
- UVCB = Komplext kolväteämne
- VOC = Flyktiga organiska ämnen
- vPvB = Mycket persistenta och mycket bioackumulerande

Annat

- Blandningens klassificering gällande hälsorisker har skett i enlighet med beräkningsmetoder angivna i förordning (EG) nr 1272/2008 (CLP)
- Blandningens klassificering gällande miljörisker har skett i enlighet med beräkningsmetoder angivna i förordning (EG) nr 1272/2008 (CLP)
- Blandningens klassificering gällande fysikaliska faror baseras på experimentella data.

Säkerhetsdatabladet är validerat av

FL

Annat

- Modifierad data i jämförelse med tidigare utgåva är märkt med en blå trekant (Första siffran i SDB version). Upplysningarna i detta säkerhetsdatablad är baserat på vår nuvarande kunskap. Informationen på säkerhetsdatabladet bygger på bästa tillgängliga data och gäller vid produktens avsedda hantering. Detta säkerhetsdatablad avser endast denna produkt och är eventuellt inte tillämpligt om produkten används som ingrediens i annan produkt. Användes produkten på annat sätt eller i annan applikation än den som produkten ursprungligen utvecklats för, eller rekommenderats till, sker detta helt under användarens ansvar. Avsikten med detta säkerhetsdatablad är att beskriva säkerhetskraven för produkten. Det får inte uppfattas som en garanti för produktens egenskaper och informationerna kan inte ersätta ett produktdatablad.
- Det rekommenderas att detta säkerhetsdatablad lämnas till den faktiska användaren av produkten.



Är i enlighet med förfatningen (EG) nr 1907/2006 (REACH), Bilaga II, ändrad genom förfatningen (EU) nr 2015/830

Land-språk: SE-sv

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Timjan thymoltyp - Timjan thymol zygis - Timjan thymoltyp eko

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Timjan thymoltyp - Timjan thymol zygis - Timjan thymoltyp eko

Other names / Synonyms

Thyme thymol type - Thyme thymol zygis - Thyme thymol type eco

Product no.

1106 - 1125 - 1130

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Fragrant and/or flavour substance

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Naturkosmetikkompaniet Naturkosmos AB

Ullevi Enestorp 3

59491 Gamlleby

Sweden

+46(0)493-53999

Contact person

Finn Lendelund

E-mail

info@Naturkosmetikkompaniet.se

Revision

29/03/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flam. Liq. 3; H226, Flammable liquid and vapour.

Acute Tox. 4; H302, Harmful if swallowed.

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.

Skin Corr. 1B; H314, Causes severe skin burns and eye damage.

Skin Sens. 1; H317, May cause an allergic skin reaction.

STOT SE 3; H335, May cause respiratory irritation.

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Danger

Hazard statement(s)

- Flammable liquid and vapour. (H226)
- Harmful if swallowed. (H302)
- May be fatal if swallowed and enters airways. (H304)
- Causes severe skin burns and eye damage. (H314)
- May cause an allergic skin reaction. (H317)
- May cause respiratory irritation. (H335)
- Toxic to aquatic life with long lasting effects. (H411)

Safety statement(s)

General

- Keep out of reach of children. (P102)
- If medical advice is needed, have product container or label at hand. (P101)

Prevention

- Wear eye protection/protective gloves/protective clothing. (P280)

Response

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)

Storage

-

Disposal

- Dispose of contents/container to an approved waste disposal plant. (P501)

Hazardous substances

thymol
Para-Cymene
gamma terpinene
Carvacrol
Linalool
beta-Caryophyllene
Terpinenes
Alpha-pinene
(R)-p-mentha-1,8-diene

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
thymol	CAS No.: 89-83-8 EC No.: 201-944-8	40-60%	Acute Tox. 4, H302 Skin Corr. 1B, H314	
	REACH: Index No.: 604-032-00-1			
Para-Cymene	CAS No.: 99-87-6	25-40%	Flam. Liq. 3, H226 Asp. Tox. 1, H304	

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

	EC No.: 202-796-7 REACH: Index No.:		Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
gamma terpinene	CAS No.: 99-85-4 EC No.: 202-794-6 REACH: Index No.:	10-15%	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Carvacrol	CAS No.: 499-75-2 EC No.: 207-889-6 REACH: Index No.:	10-15%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Linalool	CAS No.: 78-70-6 EC No.: 201-134-4 REACH: Index No.: 603-235-00-2	5-10%	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
-,Terpinen-4-ol	CAS No.: 562-74-3 EC No.: 209-235-5 REACH: Index No.:	5-10%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Camphor	CAS No.: 76-22-2 EC No.: 200-945-0 REACH: Index No.:	5-10%	Flam. Sol. 2, H228 Acute Tox. 4, H332 STOT SE 2, H371
Borneol	CAS No.: 507-70-0 EC No.: 208-080-0 REACH: Index No.:	5-10%	Flam. Sol. 2, H228
7-methyl-3-methyleneocta-1,6-diene	CAS No.: 123-35-3 EC No.: 204-622-5 REACH: Index No.:	3-5%	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Camphene	CAS No.: 79-92-5	3-5%	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Chronic 1, H410 (M=1)

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

		EC No.: 201-234-8	
	REACH:		
	Index No.:		
beta-Caryophyllene	CAS No.: 87-44-5 EC No.: 201-746-1	3-5%	Asp. Tox. 1, H304 Skin Sens. 1B, H317
Terpinenes	CAS No.: 99-86-5 EC No.: 202-795-1	3-5%	Flam. Liq. 3, H226 Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
alpha-phellandrene	CAS No.: 99-83-2 EC No.: 202-792-5	3-5%	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Alpha-pinene	CAS No.: 80-56-8 EC No.: 201-291-9	3-5%	Flam. Liq. 3, H226 Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
(R)-p-mentha-1,8-diene	CAS No.: 5989-27-5 EC No.: 227-813-5	1-3%	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
	REACH:		
	Index No.:		

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

No special

Thymus vulgaris/Zygis

Inci: Thymus vulgaris/Zygis flower oil

Cas no: 8007-46-3

EC no: 285-397-0

100% essential oil

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER / doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Avoid direct contact with spilled substances.

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ground and bond container and receiving equipment.

Use explosion-proof [electrical / lighting / ventilating] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Camphor

Long term exposure limit (8 hours) (ppm): 2

Long term exposure limit (8 hours) (mg/m³): 13

Short term exposure limit (15 minutes) (ppm): 3

Short term exposure limit (15 minutes) (mg/m³): 19

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
No specific requirements	-	-	-

Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn	-	-



Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2



Eye protection

Type	Standards
Safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form

Liquid

Colour

Yellowish

Odour

Aromatic

Odour threshold (ppm)

Testing not relevant or not possible due to nature of the product.

pH

Testing not relevant or not possible due to nature of the product.

Density (g/cm³)

0,915-0,937

Viscosity

Testing not relevant or not possible due to nature of the product.

Phase changes

Melting point (°C)

Testing not relevant or not possible due to nature of the product.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards

Flash point (°C)

60

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Explosion limits (% v/v)

Testing not relevant or not possible due to nature of the product.

Explosive properties

Testing not relevant or not possible due to nature of the product.

Oxidizing properties

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Insoluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Avoid static electricity.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Other information

7-methyl-3-methyleneocta-1,6-diene has been classified by IARC as a group 2B carcinogen.

(R)-p-mentha-1,8-diene has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Product is covered by the regulations on hazardous waste.

HP 3 - Flammable

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 - Acute toxicity

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Not applicable

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Class: 3 Labels: 3+8 Classification code: FC	III	Yes	Limited and excepted quantities (7a): 5 L Tunnel restriction code: 3 (D/E) See below for additional information.
IMDG	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Class: 3 Labels: 3+8 Classification code: FC	III	Yes	Limited and excepted quantities (7a): 5 L EmS: F-E S-C See below for additional information.
IATA	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Class: 3 Labels: 3+8 Classification code: FC	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

IMDG / See the Dangerous Goods List, section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

P5c - FLAMMABLE LIQUIDS, Qualifying quantity (lower-tier): 5.000 tonnes / (upper-tier): 50.000 tonnes

E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

Additional information

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H228, Flammable solid.

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H371, May cause damage to organs.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

The classification of the substance/mixture in regard of physical hazards has been based on experimental data.

The safety data sheet is validated by

FL

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en